

M-Code	Size	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
							(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			
<b>70</b>																			
1012637	175/70R13	82 H	4	C	VS														
1012638	185/70R13	86 H	4	C	VS														
1010832	175/70R14	84 H	4	C	VS														
1010831	185/70R14	88 H	4	C	VS														
1010710	195/70R14	91 H	4	C	VS														
<b>65</b>																			
1012050	175/65R14	82 H	4	C	VS														
1010713	185/65R14	86 H	4	C	VS														
1012052	205/65R14	91 H	4	C	VS														
1010709	185/65R15	88 H	4	C	VS														
1010716	195/65R15	91 H	4	C	VS														
1010717	195/65R15	95 H	4	C	VS	6.0	44	690	1521	641	25.2	206	8.1	7.6	9.6		823	1955	
1009918	205/65R15	94 H	4	C	VS	6.0	44	670	1477	645	25.4	208	8.2	7.1	8.8		818	1967	
1010718	215/65R15	96 H	4	C	VS	6.5	44	710	1565	660	26.0	218	8.6	7.6	9.6		799	2013	
<b>60</b>																			
1012054	185/60R13	80 H	4	C	VS														
1012053	205/60R13	86 H	4	C	VS														
1012049	185/60R14	82 H	4	C	VS														
1012055	205/60R14	88 H	4	C	VS														
1012048	185/60R15	84 H	4	C	VS														
1010711	195/60R15	88 H	4	C	VS														
1010715	205/60R15	91 H	4	C	VS	6.0	44	615	1356	625	24.6	206	8.1	7.6	9.6		844	1906	
1010712	225/60R15	96 H	4	C	VS	6.5	44	710	1565	650	25.6	225	8.9	7.9	9.8		812	1983	
1012059	205/60R16	92 H	4	C	VS	6.0	44	630	1389	651	25.6	206	8.1	7.5	9.5		811	1986	
1012058	215/60R16	95 H	4	C	VS	6.5	44	690	1521	663	26.1	218	8.6	7.5	9.5		796	2022	
1012057	225/60R16	98 H	4	C	VS	6.5	44	750	1653	675	26.6	225	8.9	7.6	9.6		782	2059	
1012056	235/60R16	100 H	4	C	VS	7.0	44	800	1764	687	27.0	237	9.3	7.6	9.6		768	2095	
<b>55</b>																			
1010714	195/55R15	85 H	4	C	VS														

Technical data subject to change without prior notice. • These size are currently under development  
 \* XL : Extra Load \* DSB : Diagonal Serrated Band \* SBL : Serrated Black Letter \* VSB : Vertical Serrated Band

M-Code	Size	USE	PR	S/W Type	Recommended Rim	Max. Air (PSI)	Max. Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circumference
							(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			

**60**

1007646	225/60R16	98 W	4	-	DSB	6.5	44	750	1653	672	26.5	228	9.0	170	6.7	8.6	10.8	301	785	2050
1009120	225/60R16	98 V	4	E-	DSB	6.5	44	750	1653	675	26.6	228	9.0	140	5.5	8.0	10.1		782	2059
1009121	225/60R16	98 W	4	E-	DSB	6.5	44	750	1653	675	26.6	228	9.0	140	5.5	8.1	10.2		782	2059
1006594	235/60R16	100 W	4	-	DSB	7.0	44	800	1764	687	27.0	240	9.4	178	7.0	8.6	10.8	306	768	2095
1009118	235/60R16	100 W	4	E-	DSB	7.0	44	800	1764	685	27.0	240	9.4	140	5.5	8.0	10.1	313	770	2089
1010079	225/60R17	99 H	4	I	DSB															

**55**

1006830	• 185/55R15	82 H	4	I	DSB															
1007338	185/55R15	81 V	4	CJ	DSB															
1007791	185/55R15	86 V XL	4	CU	DSB															
1010555	185/55R15	82 H	4	CR	DSB															
1006833	• 195/55R15	85 H	4	I	DSB															
1006858	195/55R15	85 H	4	-	DSB	6.0	51	545	1201	620	24.4	201	7.9	164	6.5	8.2	10.3	468	851	1891
1007479	195/55R15	85 V	4	CH	DSB															
1009061	195/55R15	85 T	4	CG	DSB															
1009110	195/55R15	85 H	4	E-	DSB	6.0	44	515	1135	594	23.4	201	7.9	156	6.1	8.0	10.1		888	1812
1011642	195/55R15	85 H	4	CE	DSB															
1007707	195/55R16	87 H	4	-	DSB	6.0	51	545	1201	621	24.4	200	7.9	156	6.1	8.0	10.0		850	1894
1009077	195/55R16	87 H	4	E-	DSB	6.0	51	545	1201	621	24.4	200	7.9	156	6.1	7.9	9.9		850	1894
1007628	205/55R16	91 H	4	I	DSB	6.5	44	615	1356	633	24.9	206	8.1	160	6.3	7.7	9.7	297	834	1931
1007702	205/55R16	91 V	4	CR	DSB															
1008031	205/55R16	91 H	4	K	DSB	6.0	44	615	1356	634	25.0	202	8.0	160	6.3	7.5	9.5	295	832	1935
1008481	205/55R16	91 V	4	V	DSB															
1009167	205/55R16	91 H	4	CH	DSB															
1009564	205/55R16	94 H XL	4	T	DSB															
1009682	205/55R16	91 H	4	EH	DSB	6.0	44	615	1356	633	24.9	206	8.1	160	6.3	7.7	9.7	297	834	1931
1009720	205/55R16	91 H	4	G	DSB															
1011667	205/55R16	91 H	4	CE	DSB															
1006264	205/55R16	91 H	4	H	DSB															
1011839	205/55R16	91 H	4	ET	DSB															
1007161	• 215/55R17	94 W	4	J	DSB															
1010696	215/55R17	94 V	4	V	DSB															
1009769	215/55R17	94 V	4	H	DSB															
1007591	225/55R17	97 V	4	H	DSB	6.5	44	730	1609	684	26.9	225	8.9	182	7.2	7.7	9.7	318	771	2086
1009753	225/55R17	97 V	4	K	DSB	7.0	44	730	1609	681	26.8	231	9.1	160	6.3	7.7	9.7	316	775	2077
1007593	235/55R17	99 V	4	K	DSB															
1010083	225/55R18	98 H	4	I	DSB	6.0	44	630	1389	651	25.6	209	8.2	160	6.3	7.7	9.7		811	1986
1010084	235/55R18	100 H	4	I	DSB	7.0	44	630	1389	711	28.0	237	9.3	160	6.3	7.7	9.7	334	742	2169

**50**

1007173	175/50R15	75 H	4	CH	DSB															
1010749	175/50R15	75 H	4	E-	DSB															
1007790	195/50R16	88 V XL	4	CU	DSB															
1007060	195/50R16	84 H	4	H	DSB															
1007592	235/50R18	97 V	4	H	DSB															
1007594	245/50R18	100 V	4	H	DSB	7.5	44	800	1764	698	27.5	251	9.9	182	7.2	7.7	9.7	325	755	2131
1010154	235/50R19	99 H	4	G	DSB	7.0	44	775	1709	719	28.3	240	9.4	160	6.3	8.1	10.2	332	734	2193

**45**

1008696	205/45R16	83 H	4	CD	DSB															
1010769	205/45R16	83 V	4	E-	DSB	7.0	44	487	1074	593	23.3	206	8.1	160	6.3	7.954	9.9	273	890	1809
1011664	205/45R16	83 V	4	CE	DSB															
1006042	205/45R16	83 V	4	K	DSB															
1006378	215/45ZR17	91 W XL	4	H	DSB	7.0	50	615	1356	623	24.5	214	8.4	182	7.2	7.954	9.9	293	847	1900
1010770	215/45ZR17	91 L XL	4	E-	DSB	7.0	50	615	1356	623	24.5	212	8.3	182	7.2	7.954	9.9	290	847	1900
1007633	225/45R17	91 V	4	H	DSB	7.0	44	615	1356	635	25.0	215	8.5	160	6.3	7.76	9.7	300	831	1937
1009683	225/45R17	91 V	4	EH	DSB	7.0	44	615	1356	635	25.0	215	8.5	160	6.3	7.760	9.7	300	831	1937
1009469	225/45R18	91 V	4	K	DSB	7.0	44	615	1356	655	25.8	219	8.6	180	7.1	7.8	9.7	311	805	1999

Technical data subject to change without prior notice. • These size are currently under development \* XL : Extra Load \* DSB : Diagonal Serrated Band

M-Code	Size	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference	
							(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")				
<b>65</b>																				
1010202	205/65R15	99 H XL	4	-	DSB	6.0	50	775	1709	646	25.4	209	8.2	160	6.3	7.9	9.9	294	817	1970
1010708	205/65R15	94 H	4	S	DSB	6.5	44	670	1477	643	25.3	215	8.5	160	6.3	8.0	9.9		821	1961
1011668	205/65R15	94 H	4	CE	DSB															
1006587	215/65R15	96 H	4	-	DSB	6.5	44	710	1565	660	26.0	221	8.7	164	6.5	8.6	10.8	295	799	2013
1009106	215/65R15	96 H	4	E-	DSB	6.5	44	710	1565	660	26.0	221	8.7	156	6.1	8.0	10.1		799	2013
1008017	215/65R16	98 H	4	CJ	DSB															
1009086	215/65R16	98 V	4	H	DSB	6.5	44	750	1653	682	26.9	220	8.7	156	6.1	7.7	9.7	315	774	2080
<b>60</b>																				
1006857	165/60R14	75 H	4	-	DSB	5.0	44	387	853	554	21.8	170	6.7	120	4.7	7.7	9.6	254	952	1690
1009041	165/60R14	75 H	4	E-	DSB															
1006861	175/60R14	79 H	4	-	DSB	5.0	44	437	963	565	22.2	177	7.0	128	5.0	7.9	9.9	257	934	1723
1007174	175/60R14	79 H	4	CH	DSB	5.0	44	437	963	565	22.2	177	7.0	128	5.0	7.9	9.9	257	934	1723
1009103	175/60R14	79 H	4	E-	DSB															
1006457	185/60R14	82 H	4	-	DSB	5.5	44	475	1047	577	22.7	189	7.4	140	5.5	8.7	10.9	207	914	1760
1009117	185/60R14	82 H	4	E-	DSB	5.5	44	475	1047	577	22.7	187	7.4	140	5.5	8.1	10.2		914	1760
1009949	185/60R14	82 H	4	CP	DSB															
1006589	195/60R14	86 H	4	-	DSB	6.0	44	530	1168	589	23.2	201	7.9	148	5.8	8.4	10.5	265	896	1796
1009042	195/60R14	86 H	4	E-	DSB	6.0	44	530	1168	589	23.2	201	7.9	148	5.8	8.0	10.0	269	896	1796
1009956	195/60R14	86 H	4	CP	DSB	6.0				584		196								
1009656	175/60R15	81 H	4	-	DSB	5.0	44	462	1019	590	23.2	177	7.0			7.5	9.3	271	894	1800
1006856	185/60R15	84 H	4	-	DSB	5.5	44	500	1102	602	23.7	189	7.4	140	5.5	8.2	10.3	273	876	1836
1007059	185/60R15	84 H	4	H	DSB	5.5	44	630	1389	601	23.7	188	7.4	182	7.2	7.7	9.7	284	878	1833
1008615	185/60R15	84 H	4	CR	DSB	6.0	44	560	1235	614	24.2	201	7.9	148	5.8	8.4	10.5	275	859	1873
1009063	185/60R15	84 T	4	CG	DSB															
1009107	185/60R15	84 H	4	E-	DSB															
1010833	185/60R15	88 H XL	4	E-	DSB															
1011641	185/60R15	84 H	4	CE	DSB															
1011895	185/60R15	88 H XL	4	CD	DSB															
1006583	195/60R15	88 H	4	-	DSB	6.0	44	560	1235	614	24.2	201	7.9	148	5.8	8.4	10.5	275	859	1873
1006863	195/60R15	88 V	4	-	DSB	6.0	44	560	1235	614	24.2	201	7.9	148	5.8	8.4	10.5	275	859	1873
1009035	195/60R15	88 H	4	E-	DSB	6.0	44	560	1235	614	24.2	201	7.9	148	5.8	7.9	9.9		859	1873
1009038	195/60R15	88 V	4	E-	DSB	6.0	44	560	1235	614	24.2	201	7.9	148	5.8	7.9	9.9		859	1873
1009951	195/60R15	88 H	4	CP	DSB															
1009952	195/60R15	88 V	4	CP	DSB															
1006578	205/60R15	91 H	4	-	DSB	6.0	44	615	1356	626	24.6	209	8.2						843	1909
1006864	205/60R15	91 V	4	-	DSB	6.0	44	615	1356	626	24.6	209	8.2						843	1909
1009025	205/60R15	91 H	4	E-	DSB	6.0	44	615	1356	626	24.6	209	8.2	148	5.8	8.0	10.1		843	1909
1009026	205/60R15	91 V	4	E-	DSB	6.0	44	615	1356	626	24.6	209	8.2	148	5.8	8.0	10.1		843	1909
1009959	205/60R15	91 H	4	CP	DSB															
1006591	215/60R15	94 V	4	-	DSB	6.5	44	670	1477	638	25.1	221	8.7	164	6.5	8.6	10.8	287	827	1946
1009108	215/60R15	94 V	4	E-	DSB	6.5	44	670	1477	638	25.1	221	8.7	156	6.1	8.1	10.2		827	1946
1006592	225/60R15	96 V	4	-	DSB	6.5	44	710	1565	650	25.6	228	9.0	170	6.7	8.6	10.8	291	812	1983
1009109	225/60R15	96 V	4	E-	DSB	6.5	44	710	1565	650	25.6	228	9.0	156	6.1	8.0	10.1		812	1983
1009657	175/60R16	82 H	4	-	DSB	5.0	44	475	1047	615	24.2	177	7.0	180	7.1	7.5	9.3	283	858	1876
1006362	205/60R16	92 H	4	I	DSB	6.5	44	630	1389	649	25.6	213	8.4			7.7	9.6	301	812	1981
1006867	205/60R16	92 V	4	-	DSB	6.0	44	630	1389	649	25.6	209	8.2	156	6.1	8.5	10.6	292	813	1979
1006903	205/60R16	92 V	4	D	DSB	6.0	44	630	1389	649	25.6	207	8.1	182	7.2	7.9	9.9	302	813	1979
1008655	205/60R16	92 V	4	T	DSB	6.5	44	630	1389	652	25.7	213	8.4	160	6.3	7.9	9.9	298	809	1989
1009119	205/60R16	92 V	4	E-	DSB	6.0	44	630	1389	649	25.6	207	8.1	140	5.5	7.9	9.9	302	813	1979
1009857	205/60R16	92 H	4	E-	DSB	6.0	44	630	1389	651	25.6	209	8.2	160	6.3	7.9	9.9		811	1986
1009942	205/60R16	91 V	4	CJ	DSB															
1011375	205/60R16	92 H	4	S	DSB	6.5	44	630	1389	648	25.5	214	8.4	182	7.2	7.9	9.9		814	1976
1011665	205/60R16	92 H	4	CE	DSB															
1009111	215/60R16	95 V	4	E-	DSB															
1009677	215/60R16	99 V XL	4	-	DSB	6.5	50	775	1709	663	26.1	221	8.7			8.1	10.1	304	796	2022
1010085	215/60R16	99 V XL	4	E-	DSB	6.5	50	775	1709	663	26.1	221	8.7	160	6.3	8.0	10.1		796	2022
1010693	215/60R16	95 T	4	V	DSB															
1010730	215/60R16	95 V	4	V	DSB															
1011643	215/60R16	99 V XL	4	CE	DSB															
1006593	225/60R16	98 V	4	-	DSB	6.5	44	750	1653	675	26.6	228	9.0	170	6.7	8.6	10.8	300	782	2059

Technical data subject to change without prior notice. • These size are currently under development \* XL : Extra Load \* DSB : Diagonal Serrated Band